

PUBLISHED BY AUTHORITY

सं० 25]

नई दिल्ली, शनिवार, जून 18, 1983 (ज्येष्ठ 28, 1905)

No. 25]

NEW DELHI, SATURDAY, JUNE 18, 1983 (JYAISTHA 28, 1905)

इस भाग में भिन्न पृष्ठ संख्या दी जाती है जिससे कि यह अलग संकलन के रूप में रखा जा सके। [Separate paging is given to this Part in order that it may be filed as a separate compilation]

# भाग 111-खण्ड 2

# [PART III—SECTION 2]

पेटेन्ट कार्यालय द्वारा जारी की गई पेटेन्टों और डिजाइनों से सम्बन्धित अधिसूचनाएं और नोटिस [Notifications and Notices issued by the Patent Office relating to Patents and Designs]

THE PATENT OFFICE PATENTS AND DESIGNS Calcutta, the 18th June, 1983

# ADDRESS AND JURISDICTION OF OFFICES OF THE PATENT OFFICE

The Patent Office has its Head Office at Calcutta and Branch Offices at Bombay, Delhi and Madras having territorial jurisdiction on a zonal basis as shown below:—

Patent Office Branch, Todi Estates, III Floor, Lower Parel (West), Bombay-400013. Telegraphic address "PATOFFICE".

The States of Guiarat, Maharashtra, and Madhya Pradesh, and the Union Territories of Goa, Daman and Diu and Dadra and Nagar Haveli.

Patent Office Branch, Unit No. 401 to 405, III Floor, Municipal Market Building, Saraswati Marg. Karol Bagh. New Delhi-110-005. Telegraphic address "PATENTOFIC".

The States of Harvana, Himachal Pradesh, Jammu and Kashmir, Punjab, Rajasthan and Uttar Pradesh and the Union Territories of Chandigarh and Delhi.

Patent Office Branch, 61, Wallajah Road, Madras-600 002.

Telegraphic address "PATENTOFIS".

The States of Andhra Pradesh, Karnataka, Kerala, Tamilnadu, and the Union Territories of Pondicherry, Lacadive, Minicoy and Aminidivi Islands.

1---117 GI/83

(393)

Patent Office, (Head Office), 214, Acharva Jagadish Bose Road, Calcutta-700 017. Telegraphic address "PATENTS".

Rest of India.

All applications, notices, statements or other documents or any fees required by the Patents Act, 1970 or the Patents Rules, 1972 will be received only at the appropriate Offices of the Patent Office.

Fees The fees may either be paid in cash or may be sent by Money Order or Postal Order, payable to the Controller at the appropriate Offices or by bank draft or cheque, payabble to the Controller drawn on a scheduled bank at the place where the appropriate office is situated.

APPLICATION FOR PATENTS FILED AT THE HEAD OFFICE, 214, ACHARYA JAGADISH BOSE ROD, CALCUTTA-700 017

The dates shown in crescent brackets are the claimed under Section 135, of the Act.

12th May, 1983

597/Cal/83. Rotork Controls Limited. Valve actuators. (12th May, 1982).

598/Cal/83. De Blauwe Lier B. V. Method for washing of textiles in hard water and phosphate-free detergent composition for use therein.

599/Cal/83, Janssen Pharmaceutica N. V. Novel N-(Bicyclic heterocyclyl)-4-piperidinamines.

600/Cal/83. Satchithanandan Supremaniam and Florence Shirley Jan Supramaniam. Shipping package alternative packing method for bulk tea. (15th July, 1982). 601/Cal/83. Westinghouse Flectric Corporation. Core spring support system for a dynamoelectric machine.

#### 13th May, 1983

- 602/Cal/83. Samarendra Kumar Sengupta. improvements in or relating to reflecting road beacons.
- 603/Cal/83. Samarendra Kumar Sengupta. A reflecting road stud for a reflecting road beacon.
- 604/Cal/83. Ukrainsky Institut Inzhenerov Vodnogo Khozyoistva Separator for separating fluid media from minute particles of impurities.
- 605/Cal/83. Amsted Industries Incorporated. Snubbed railway car truck.
- 606/Cal/83 Stauffer Chemical Company. Process for treating liquid chlorinated hydrocarbon wastes containing iron.
- 607/Cal/83 Antier Limited Method of forming members from thermoplastic material.
- 608/Cal/83. Ken Hayashibam-and Shin Ashida. Process for producing human specific type II interferon. [Divisional date 17th January, 1980].

# 16th May, 1983

- 609/Cal/83 (1) Vsesoiuzny Gosudarstvenny Proektno-Konstruktorsky Institut Po Mashinam Dlva -Promyshlennosti Stroitelnykh Materialov and (2) Gosudarstvenny Vsesoiuzny Nauchno-Issledovatelsky Institut Stroitelnykh Materialov I Konstruktsy Conveyer line for fabricating masonry units by autoclaye hardening.
- 610/Cal/83 Sunnen Products Company. Improved honing head construction.

# 17th May, 1983

- 611/Cal/83. Krone Gmbh. Voltage dischargers.
- 612/Cal/83 Hein, Lehmann AG. Screening machine.
- 613/Cal/83, Garrett Michael Sainbury, Solar collector.
- 614/Cal/83 Mitsui Toatsu Chemicals Inc Novel aromatic alkane derivatives and processes for preparation thereof and insecticidal and accricidal arents containing said derivative as an active ingredient

## 18th May, 1983

- 615/Cal/83 Metalloesellschaft Aktiengesellschaft Process of regenerating absorbent solutions for sulfur-containing gases.
- 616/Cal/83 Georg Fischer Aktiengesellschaft Foundry device in particular converter for pouring and/or treating of molten metal.
- 617/Cal/83. Mobil Oil Corporation. Isomerization process.
- 618/Cal/83. Mobil Oil Corporation. Catalytic dewaxing process.
- 619/Cal/83 Mobil Oil Corporation. Simultaneous catalytic hydrocracking and hydrodewaxing of hydrocarbon oils with zeolite beta.
- 620/Cal/83 Mobil Oil Corporation Hudrocracking-entalvat and hudrocracking process with improved distillate selectivity.
- 621/Cal/83 Mobil Oil Corporation High silica zeolite beta and method for making it.
- 622/Cal/83 Mehil Oil Corporation Method for preparing acid stable zeolites and high silica zeolites members by it.
- 623/Cal/83 Hitchiner Manufacturing Co Inc A rigid self supporting the nermanble low temperature bonded and particle mold.

  [Divisional date 27th September, 1979]

- APPLICATIONS FOR PATENTS FII FD AT THE PATENT OFFICE BRANCH,
- MUNICIPAL MARKET BUILDING, III FLOOR, KAROL BAGH, NEW DELHI-5.

#### 6th April, 1983

- 220 'Del '83. Chief Controller Research & Development,
  Ministry of Deference, "A process for dehydration of isopropyl nitrate using molecular sieves".
- 221/Del/83. Oil and Natural Gas Commission, "A process for the preparation of ferrochrome lignosulphonate".
- 222/Del/83. I. Upadhyaya, "A ventriculo atrial reservoir".
- 223/Del/83. Satwant Singh Sidhu, "A washing machine".
- 224/Del/83. Eseen Engineering Company Private Limited, "An improved low pressure regulator for use with liquified Petroleum gas mixtures".
- 225/Del/83, Imperial Chemical Industries PLC., "Containers with automatic closures" (September 26, 1978)

[Divisional date September 10, 1979].

- 226/Del/83, Imperial Chemical Industries PLC., "Holders for spray containers" (September 26, 1978)
  - [Divisional date September 10, 1979].
- 227/Del/83. UOP INC., "Recovery of aromatic hydrocarbons and a non-aromatic raffinate stream from a hydrocarbon charge stock".
- 228/Del/83 Velsicol Chemical Corporation, "Furfuryl amides of phenoxyphenoxy-alkanole acids".
- 229/Del/83. Krupp-Koppers GMBH., "Process for the operation of a gypsum-sulfuric acid plant".

#### 7th April, 1983

- 230/Del/83. Dalip Singh and Gurdip Singh, "An electric, lamp provided with fluoroscent tube".
- 231/Del/83. Gerald Anthony John Francis McKEOWN, C/o. ATL Limited "Data handling assembly".
- 232/Del/83. The British Petroleum Company P.L.C., "Aromatics production" (April 29, 1982).
- 233/Del/83. Vereinigte Edelstahlwerke Aktiengesellschaft (VEW), "Work-hardenable austenitic manganese steel and method for the production thereof",
- 234/Del/83. Ruhrkohle AG, "Method for preparing a charge stock for refining from a crude light coal
- -235/Del/83. Klemens Kalverkamp, "Method an apparatus for the harvesting of corn or other granular fruits".

# 8th April, 1983

- 236/Del/83. Telefonaktiebolaget L M Friesson, "Synchronisation apparatus in transmitting information on a simplex bus".
- 237/Del/83. Societe De Conseils De Recherches Et D'Applications Scientifiques, "New modified clays' preparation thereof and therapeutical compositions containing the same" (April 29, 1982).
- 238/Del/83. Klockner-Humboldt-Deutz Aktiengesellschaft, "Method and apparatus for generating synthesis gase".

## 11th April, 1983

- 239/Del/83 Fixon Research and Engineering Company, "Process for the manufacture of halogenated polymers".
- 240/Del/83 Children's Hospital Medical Centre. "Artificial vitreous compositions and method of preparing the same".

## 12th April, 1983

- 241/Del/83. The Bendix Corporation, "A sintered iron base friction material".
- 242/Del/83. Parsons Controls Limited, "Improvements relating to chain components" (April 15, 1982).

#### 13h April, 1983

- 243/Del/83. BICC Public Limited Company, "An improved flexible elongate body" (April 22, 1982).
- 244/Del/83. Tioxide Group PLC., "Textile materials and their use in containers" (July 1, 1982).
- 245/Fel/83. Bayer Aktiengesellschaft, "A vehicle tyre for low speeds".
- 246/Liel/83. Ramtech, Ltd., "Machine for making building blocks".

## 14th April, 1983

- 247/Del/83. Breton S.p.a., "A blade-carrying frame for machines for cutting marble, granite and hard stone".
- 248/Oel/83. Lodge-Cottrell Limited, "Improvements in and relating to electrostatic precipitators" (April 22, 1982).

#### 15th April, 1983

- 249/Del/83. Velsicol Chemical Corporation, "New urea compositions of matter".
- 250/Del/83. Cscpel Muvek Tervezo Es Kutato Intezete, "Steel pipes with improved properties, applicable both for constructive and mining purposes, and a process for preparing same from combined microalloyed steels".

# 16th April, 1983

- 251/Del/83. Rameshwar Dayal, "Improved knowkdown type cover for sewing machines".
- 252/Del/83. Chief Controller Research & Development, Ministry of Defence, "Producing a gas generating composition".
- 253/Dcl/83. Chief Controller, Research & Development, Ministry of Defence, "A process for the preparation of boron carbide".

# 18th April, 1983

- 254/Del/83. Bonas Machine Company Limited, "Replaceable weaving heads". (April 23, 1982).
- 255/Del/83. Exxon Production Research Company, "Acoustic quadrupole shear wave logging device".

## 19th April, 1983

- 256/Del/83. Roecar Holdings (Notherlands Antilles) NV., "Extract of plants of the family of hypoxidaceae for treatment of cancer". (April 19, 1982).
- 257/Del/83. Imperal Chemical Industries PLC, "Quinoline derivatives". (May 4, 1982 & January 27, 1983).
- 258/Del/83. Centre Stephanois De Recherches Mecaniques Hydromecanique Et Frottement, "A process for improving the corrosion resistance of ferrous metal parts".
- 259/Del/83. Werkzeugmaschinenfabrik Oerlikon-Buhrle AG, "Apparatus for automatically displacing the radial position of a cross feed slide in a cross-feed-head of a cutting machine".
- 260/Del/83. Workzeugmuschinenfabrik Oerlikon-Buhrle AG, "Cross-feed-head of a cutting machine".

## 20th April, 1983

261/Del/83. The Babbook & Wilcox Company, "Single dram all-welded boiler".

262/Del/83. G. S. Garewal, Miss Barinder Kaur Riar & Kamaljit Dhaliwal, "Chemicals useful as insecticides as well as fungicides".

# 21st April, 1983

- 263/Del/83. Velsicol Chemical Corporation, "New Herbicidal Compounds".
- 264/Del/83. Csepel Muvek Femmuve, "Process and equipment for the production of alloyed copper wire by continuous casting".

#### 22nd April, 1983

- 265/Del/83. I, Baldeo Prasad Pandey, "An improved device to transplant paddy plant".
- 266/Del/83. Lalit Kumar Das, "A sliding bolt".
- 267/Dcl/83. Shri Ram Institute for Industrial Research, "A process for the preparation of cation exchange membranes".
- 268/Del/83. Lalit Kumar Das, "Tower Bolts",
- 269/Del/83. Bharat-Heavy Electricals Limited, "Modified brake block shoe for Tata diesel loco shunter".

## 26th April, 1983

270/Del/83. G. D. Societa Per Azioni, "A method and apparatus for forming perforations in bar-shape articles".

## 27th April, 1983

271/Dei/83. Telefonaktiebolaget LM Ericsson, "Method and apparatus for through-connection testing in a digital telecommunication network".

#### 28th April, 1983

273/Del/83. Rajendra Kumar Bhargava, "An air release device".

# 29th April, 1983

- 273/Del/83. Hans Ditley Poulsen, "A method of manufacturing briquettes of straw or similar material".
- 274/Del/83. Boliden Aktiebolag, "The use of trivalent metal salts as soil conditioner".

# 30th April, 1983

275/Del/83. Council of Scientific & Industrial Research,
"Process for the preparation of crystalline catalyst composite materials designated as encilite".

## 2nd May, 1983

- 276/Del/83. Yamabishi Electric Co., Ltd., "Circuit for preventing two or more AC switches from conducting simultaneously".
- 277/Dcl/83. Exxon Research and Engineering Co., "Integrated cyclic scrubbing and condensate stripping process for the removal of gaseous impurities, from gaseous materials".

# 3rd May, 1983

- 278/Del/83. Durdop Limited, "Encapsulation & encapsulated products".
- 279/Del/83. Telefonaktiebolaget L M Ericsson, "Digital Concentrator".

## 4th May, 1983

- 280/Del/83. A. K. Dutt, "Thermoelectric chiller and food preserver".
- 281/Del/83. ICf Americas Inc., "Pyrazolopyridine compounds".
  - (May 12, 1982 January 21, 1983).
- 282/Del/83. Ukrainsky Institut Inzhenerov Vodnogo Khozyaistva, "Separator for magnetical removal of solid particles from fluid media".

# 5th May, 1983

- 283/Del/83. Council of Scientific & Industrial Research, "A process for the preparation of estriol glucose phosphate dehydrogenase enzyme conjugate".
- 284/Del/83. USS Engineers and Consultants, Inc., "Refractory plate for use in a valve for controlling the flow of liquid metal from a teeming vassel".
- 285/Del/83. USS Engineers and Consultants, Inc., "Valve for controlling the flow of liquid metal from the pour opening of a teeming vassel".

# 5th May, 1983

286/Del/83. Council of Scientific & Industrial Research, "Direct on line single phase induction motor starter".

## 7th May, 1983

- 287/Del/83. Boliden Aktiebolag, "A fibre product-manufacture".
- 288/Del/83. Imperial Chemical Industries PLC., "Electrolytic cell and gasket for electrolytic cell". (May 19, 1982).
- 289/Del/83. Klockner-Humboldt-Deutz Aktiengesellschaft, "Flap valve for a wet jigging machine for processing coal of other minerals".
- APPLICATIONS FOR PATENTS FILED IN THE PATENT OFFICE BRANCH AT TODI ESTATES 3RD FLOOR LOWER PAREL SUNIL COMPOUND BOMBAY-13

#### 26th April, 1983

- 140/Bom/83. Ramdayal Shital Prasad Vishwakarma, Improved bends for scientific toys.
- 141/Bom/83. Ramdayal Shital Prasad Vishwakarma, Improved seat for sphetes used in scientific toys.
- 142/Bom/83. Vasant Sheshgri Kalbag & Others, Method and apparatus for cracking and/or loosening of epicarp (outer skin) of Arecanut.
- 143/Bom/83. Mohan Laxman Tamhankar, Water filter candle.

## 27th April, 1983

- 144/Bom/83. Dr. Shantilal Keshvalal Sanghani, A device for an auxiliary driver for the conventional cycle.
- 145/Bom/83. Dr. P. D. Sunavala & another, A process and design of combustion of high Ash non caking fine and slack coal by the spouted bed technique.
- 146/Bom/83. Dr. P. D. Sunavala & another, Process and design for the galification of high ash non caking solid fuels using air, air steam or oxygen steam blast by the downjet technique.

# 28th April, 1983

- 147/Bom/83. Madhusudan Hiralal Desai, A method and apparatus for conventing pyrophoric iron power into non pyrophoric iron powder.
- 148/Bom/83. Sham Murti Mehta, An improved wind mill.
- 149/Bom/83. Navyug Industrials, Improved method and apparatus for dyeing textile fabrics.

# 29th April, 1983

- 150/Bom/83, SLM Maneklal Industries Ltd., Improvements in or relating to squeequee for rotary screen printing machines.
- 151/Bom/83. Kirloskar Oil Engines Ltd., Improvements in or relating to pistons for use in compression ignition internal combustion engines.

152/Bom/83. The Raja Bahadur Motilal Poon Mills Ltd., A foot pedal operated folding stand for used in a drafting machine and a drafting machine having the same.

# APPLICATIONS FOR PATENTS FILED AT THE PATENT OFFICE BRANCH,

61, WALLAJAH ROAD, MADRAS-600 002.

## 2nd May, 1983

96/Mas/83. Carborundum Universal Ltd., A process for the manufacture of an improved grinding wheel and a grinding wheel prepared thoreby.

## 4th May, 1983

- 97/Mas/83. The Western India Plywoods Ltd., A process for manufacturing a novel thermosetting plastic.
- 98/Mas/83. The Western India Plywoods Ltd., A process for manufacturing a wood polymer composite.
- 99/Mas/83. The Western India Plywoods Ltd., A process for manufacturing a novel thermosetting plastic.

#### 5th May, 1983

- 100/Mas/83. The South Indian Textile Research Association.

  A device for measuring stiftness or thickness of flat specimens.
- 101/Mas/83, M/s. Silcarb Heating Elements Private Limited, Silicon Carbide Heating Elements.

# 9th May, 1983

102/Mas/83. D. R. Devasenadhipathy, D. R. Visweswaran, D. R. Karthikeyan & D. R. Skandaprabhu. An improved hub assembly.

# 12th May, 1983

103/Mas/83, C. G. G. Panicker. A puzzle kit.

## 13th May, 1983

104/Mas/83. D. M. Rao. Honey comb cellular roofing with conoid hollow tiles (Guna Tiles) or with cement conoid pipes.

# ALTERATION OF DATE

151650

453/Ca1/82

Anti-dated to 17th January, 1979.

# COMPLETE SPECIFICATION ACCEPTED

Notice is hereby given that any person interested in opposing the grant of patents on any of the applications concerned, may, at any time within four months of the date of this issue or within such further period not exceeding one month applied for on Form 14 prescribed under the Patents Rules, 1972 before the expiry of the said period of four months, give notice to the Controller of Patents on the prescribed Form 15, of such opposition. The written statement of opposition should be filed along with the said notice or within one month of its date as prescribed in Rule 36 of the Patents Rules, 1972.

"The classifications given below in respect of each specification are according to Indian Classification and International Classification".

A limited number of printed copies of the specifications listed below will be available for sale from the Government of India Book Depot, 8, Kiran Sankar Roy Road, Calcutta, in due course. The price of each specification is Rs. 2/(postage extra if sent out of India). Requisition for the supply of the printed specifications should be accompanied by the number of the specification as shown in the following list.

Typed or photo copies of the specifications together with photo copies of the drawings, if any, can be supplied by the Patent Office, Calcutta on payment of the prescribed copying charges which may be ascertained on application

to that office. Photo copying charges may be calculated by adding number of pages in the specification and drawing sheets mentioned below against each accepted specification and multiplying the same by four to get the charges as the copying charges per page are Rs. 4/-.

CLASS: 116G+160A

151635

Int. Cl. B65d 81/00.

A DEVICE FOR OPERATING THE JACKS AND LOCKS OF A CONTAINER CARRYING TRUCK.

Applicant : SOUTHERN ROADWAYS LIMITED, LAKSHMI BUILDINGS, USILAMPATTI ROAD, KOCHADAI, MADURAI, TAMIL NADU.

Inventor: NARASIMHA IYENGAR KRISHNAN.

Application No. 186/Mas/79 filed October 12, 1979.

zComplete specification left: January 12, 1981.

Appropriate office for Opposition Proceedings, (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

#### 4 Claims,

A device for operating the jacks and locks of a container carrying truck comprising air operated container locks receiving air pressure from an air inversion valve, connected to the parking brake valve and spring brake valve of the truck, the locks being released only under air-pressure whenever the spring brakes for parking are applied; an air motor-cum-hydraulic pump for operating the jacks, said pump being connected to the air pressure line of the locks whereby the said pump is operable whenever the locks are released and the air pressure line thus receives air.

. (Prov.-10 pages; Com.-11 pages; Drwg.-1 sheet)

CLASS: 156 (D+E)

151636

Int. Cl.: F 04d 19/00

A PUMP.

Applicant & Inventor: MRS. PRABHA SRIDHAR, NO. 3, PINJALA SUBRAMANIA IYER STREET, T. NAGAR, MADRAS-600 017, TAMIL NADU.

Application No. 158/Mas/80 filed August 21, 1980.

Appropriate office for Opposition Proceedings, (Rule 4, Patents Rules, 1972), Patent Office, Madras Branch.

# 6 Claims.

A pump comprising a casing accommodating a freely slidable piston characterised by two flexible sheaths attached to the upper and lower faces of the piston and to the corresponding inner walls of the casing respectively, the said sheaths being open at the ends with the space between the sheaths and the walls evacuated of air; and a set of one way inlet and outlet valves provided on one of the sides of the piston for drawing in and pumping out fluid during reciprocation of the said piston.

(Com.-6 pages; Drawg.-1 sheet).

CLASS: 10B, D & E.

151637

Int. Cl.: F42c 15/24.

SAFETY DEVICE FOR PROJECTILE FUSES.

Applicants: "s.a. PRB" SOCIFTE ANONYME, OF AVENUE DE BROQUEVILLE 12, 1150 BRUXELLES, BELGIUM.

Inventor: JEAN ALFRED LEON PELOUSSE.

Application No. 968/Cal/78 filed September 2, 1978.

Appropriate office for Opposition Proceedings, (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 3 Claims.

Safety device for a projectile fuse of the type including a mobile element (17) controlling a pyrotechnical chain and able to be moved from a safety position into an active position, said device including:

- a bolt (1) for locking and unlocking said mobile element (17), said bolt (1) having a first (7) and a second (6) peripheral protrusion and being displaceable from a safety position wherein it locks said mobile element (17) into an active position wherein it unlocks said mobile element (17):
- a plurality of locking balls (4);
- a sheath (2) having radial passages (5) for said balls (4), said bolt (1) being displaceable in said tubular sheath (2);
- a spring (10);
- an axially movable collar (9) surrounded by said spring (10) and mounted around said tubular sheath (2), said sheath (2) being displaceable against the action of said spring (10) between a safety position wherein said bolt (1) is held in its said safety position due to said balls (4) being engaged by said first peripheral protrusion (7) and pressed through said passages (5) against said bolt by said collar (9), and an active position wherein said bolt (1) is held in its said active position due to said balls (4) being engaged by said second peripheral protrusion (6) and pressed through said passages against said bolt by said collar (9), all in such a manner that when said projectile is fired, said collar (9) is displaced against the action of said spring (10), thus provoking the release of said balls (4) and the unlocking of said bolt (1) which is then displaced into its said active position.

Comp. Specn. 8 pages. Drgs. 6 sheets,

CLASS: 172C<sub>1</sub>.

151638

Int. Cl.: D01g 15/00.

A CLEANING BLADE FOR ROTATABLE, SMOOTH ROLLERS ON SPINNING MACHINES, PARTICULARLY ON CARDING ENGINES.

Applicants: MASCHINENFABRIK RIETER A. G., OF WINTERTHUR, SWITZERLAND.

Inventor: PAUL WELTI,

Application No. 451/Cal/79 filed May 3, 1979.

Convention date May 4, 1978/(17715/78) U.K.

Appropriate office for Opposition Proceedings, (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 20 Claims.

A cleaning blade for rotatable, smooth rollers on spinning machines, in particular for the squeeze or crush rolls on a card, the blade having a sharp, hard edge scraping or grazing the roller surface linearly along a generating line of the roller, wherein the blade is a flexible strip which is extended between a first roller and a second roller, which contacts the rolle rsurface under clastic deformation of the strip cross-sectional shape, and which is driven for movement along the roller surface.

Comp. Specn. 20 pages. Drgs. 3 sheets.

CLASS: 195C.

151639

Int, Cl.: F16k 5/06.

"VALVE",

Applicants: NUOVO PIGNONE S.P.A., OF VIA F. MATTEUCCI 2, FLORENCE, ITALY.

Inventor: COSTANTINO VANCIGUERRA

Application No. 673/Cal/79 filed July 2, 1979.

Appropriate office for Opposition Proceedings, (Rule 4, Pacnts Rules, 1972) Patent Office, Calcutta.

# 11 Claims.

A valve which comprises a two-part valve body having an inlet and an outlet; a substantially rotationally symmetrical flow control member located within the said valve body, the flow control member including a bore extending therethrough and being rolatable about an axis of rotation perpendicular to the direction of fluid flow through the valve when it is fully open; a scaling arrangement between said flow control member and each of said inlet and outlet; and two pairs of half-ring support members secured to the interior of the valve body and disposed on opposite sides of the flow control member so as to support the latter while permitting its rotation about the said axis of rotation wherein the half-ring support members have their concave faces oriented in such a way that, when the two parts of the valve body are secured together, the half-rings abut edgewise so as to provide two annular housings, each located in a plane perpendicular to the axis of rotation of the flow control member, for guiding and for bearing the thrust of the flow control member when the valve is in use; wherein those parts of the flow control member which cooperate with the annular housings comprise a pair of diametrically opposed cylindrical projections which are coaxial with the axis of rotation of the flow control member: and wherein their is an aperture in the valve body which permits access to one of the two cylindrical projections, whereby rotation of the flow control member can be effected.

Comp. Speen. 13 pages. Drgs. 2 sheets.

CLASS: 32A2 & 55E4

151640

Int. Ci.: C07c 7/18, C09b 57/00, 61/00 and A61k 9/00.

A PROCESS FOR DYEING GELATINE FOR CAPSULES WITH A STABILIZED DYESTUFF OBTAINED FROM A NATURAL DYSTUFF WHICH IS SENSITIVE TO LIGHT AND/OR OXIDATION.

Applicants: PARKE, DAVIS & COMPANY, OF 201 TABOR ROAD, MORRIS PLAINS, NEW JERSEY 07950. U.S.A.

Inventor: DR ANDRE RENE VON WATTENWYL.

Application No. 752/Cal/79 filed July 23, 1979.

Appropriate office for Opposition Proceedings, (Rule 4, Patents Rules, 1972) Potent Office, Calcutta.

# 27 Claims.

A process for dyeing golatine for capsules with a stabilized dyestuff obtained from a natural dyestuff which is sensitive to light and/or oxidation such as herein described, wherein said natural dyestuff is dissolved in a solvent, such as herein described and the resulting solution is contacted with a finely divided absorbent such as herein described and optionally adding thereinto an absorption promoter and/or antioxidant such as herein described to order to immobilize the dyestuff by absorption to stabilize it, separating in a manner such as herein described the stabilized dyestuff from the solvent, drying in a manner such as herein described the dyestuff, and adding in a manner such as herein described the stabilized, dyestuff to golatine for capsules.

Comp. Specn. 12 pages. Drg. Nil.

CLASS: 27G.

151641

Int. Cl.: E04c 3/00.

SYSTEM FOR ANCHORING STRUCTURAL MEMBERS.

Applicant & Inventor: JEAN-JACQUES BOLLMANN, OF FLUHGASSE 49, CH-8008 ZURICH, SWITZERLAN.

Application No. 820/Cal/79 filed August 8, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 11 Claims.

A system for the underground anchoring of structural members on sloping ground, characterised in that it comprises an upwardly extending section member for mounting in an underground anchoring member in unlevelled ground and bearing an adjusting mechanism in the form of an inclined bearing plate (4) and, on the latter, a flange (5) which is pivotable in the inclined plane (E-E) of the plate (4) and which is at an angle to a retaining member (6) which, together with the flange (5), forms a fixed unit and which receives a top member (7), releaseable fixing elements (9) being provided on the bearing plate (4) and on the flange (5) the whole arrangement being such that the top member (7) together with the retaining member (6) can be adjusted to, and locked in, any desired angle in relation to the ground (1) by rotation of the bearing plate (4) and the flange (5).

Comp. Specp. 8 pages. Drgs. 2 sheets.

CLASS: 145C&D.

151642

Int. Cl.: D21g 1/00.

APPARATUS AND METHOD FOR HANDLING A CONTINUOUSLY RUNNING CREPED TISSUE WEB.

Applicants: BELOIT CORPORATION, OF WISCONSIN, 53511, U.S.A.

Inventor: ROBERT E. PAGE.

Application No. 917/Cal/79 filed September 3, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 6 Claims.

Apparatus for handling a continuously running creped tissue web following creping at a creping roll, comprising:

a calender located proximate said creping roll to receive the web after a short draw span between the creping roll and the calender;

said calender including a rotary calender roll;

a rotary reel drum adapted for calendering nip cooperation with said calender roll;

and web winding means including a rotary reel core adapted to be rotatably driven by nipping with said reel drum for winding the web onto the reel core, characterized in having: flutter suppressing means along which the web is adapted to travel in the draw span between the creping roll and the calender substantially flutterfree at high speed.

Comp. Specn. 16 pages. Drgs. 2 sheets.

CLASS: 131B & 138F.

151643

Int. Cl. : E21d 15/00 & 17/00.

MINE ROOF SUPPORTS.

Applicants: FLETCHER SUTCLIFFE WILD LIMITED OF UNIVERSAL WORKS. HORBURY, WAKEFIELD, WEST YORKSHIRE WF4 5HR, ENGLAND.

Inventor: JOHN CAMBRIDGE SMITH.

Application No. 1237/Cal/79 filed November 26, 1979.

Convention date November 28, 1978/(46370/78) U.K.

Appropriate office for opposition proceedings (Rule 4 Patents Rules, 1972) Patent Office, Calcutta.

# 13 Claims.

A mine roof support comprising a plurality of hydraulically extensible chock legs articulated at upper ends thereof to one or more roof beams and at lower ends thereof to one or more base members, a shield pivotally connected to a rearward part of the base member(s) and also pivotally connected to a rearward part of the roof beam(s), with permanently pressurised rams, both located between a pair of laterally spaced chock legs and one located to each side

of the centre line of the support, the rams being mutually inclined with respect to such centre line and reacting via the shield on the roof beam(s) in such a manner that the rams resist displacement of the roof beam(s) and, upon retraction of the chock legs from the mine roof, restore displaced chock legs to a predetermined position, and a pair of tie bars located one at or towards each side of the support and both connected between the roof beam(s) and the shield, the tie bars readily allowing mutual convergence of the roof beam(s) and shield, and also determining the length of effectiveness of the rams and hence the maximum separation between roof beam(s) and shield at each side of the support.

Comp. Specn. 14 pages. Drgs. 2 sheets.

CLASS: 69A.

151644

Int, Cl.: H01h 75/00.

STATIC INSTANTANEOUS OVERCURRENT RELAY WITH LOW TRANSIENT OVERREACH.

Applicants: GENERAL ELECTRIC COMPANY, OF 1-RIVER ROAD, SCHENECTADY 5, NEW YORK, UNITED STATES OF AMERICA.

Inventor: THOMAS BERNARD BREEN.

Application No. 89/Cal/80 filed January 24, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 15 Claims.

A static instantaneous overcurrent relay with reduced transient overteach for use in protecting an a-c power line from overcurrents wherein the relay receives an input signal representative of the magnitude of the current in the a-c power line and develops a relay output signal when the magnitude of the current in the a-c power line reaches a predetermined magnitude, which comprises:

- (a) level detector circuit means for receiving the input signal representative of the magnitude of current in the a-c power line, said input signal being in the form of a pulsating waveform having substantially the same frequency as the frequency of the a-c power line, said pulsating waveform comprising a plurality of discrete pulses, said level detector circuit means developing a discrete level detector output signal in response to each one of said discrete pulses of said pulsating waveform which attains a magnitude representative of the predetermined magnitude of the current in the a-c power line, and
- (b) output circuit means coupled to receive said discrete level detector output signals, said output circuit including temporary inhibit means for temporarily inhibiting the development of said relay output signal until said output circuit has received at least two of said discrete level detector output signals, representative of the predetermined magnitude of the current in the a-c power line.

Comp. Specn. 23 pages. Drg. 1 sheet.

CLASS: 37A.

151645

Int. Cl.: B04b 1/08.

CONTINUOUS CENTRIFUGE.

Applicants: HEIN, LEHMANN A. C., OF FICHTENS-TRASSE 75. D-4000 DUSSELDORF, WEST GERMANY, Inventors: GUNTER TROJAN & SIEGFRIED BALFANZ.

Application No. 208/Cal/80 filed February 23, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 9 Claims.

A centrifuge capable of being continuously operated and being suitable for centrifuging sugar, the centrifuge comprising an upwardly, outwardly conical cage, said cage being rotatable about a vertical axis, the cage being located within a cylindrical housing provided with a cover, a base being formed within the housing, a vertically extending jacket surrounding the cage being provided within the housing so as to define and separate two compartments in the housing so as to define and separate two compartments in the housing conformer receiving, in use the solid products of centrifuging and the other compartment receiving the fluid products, the upper portion of the internal wall of the housing acting as a baffle wall and means for supplying liquid and/or steam or vapour to the interior of the housing wherein a first inwardly directed baffle ring defining the lower edge of the haffle wall is formed on the internal surface of the housing slightly below the level of the edge of the centrifuge cage, a ring conduit having apertures formed therein for directing liquid and/or steam or vapour against the first baffle being provided between the first baffle ring and the cover in the region of the cover, a cylindrical second baffle extending below the level of the rim of the centrifuge cage being mounted on the internal surface of the cover but being detachable therefrom to provide a different mode of operation of the centrifuge, a second ring conduit being provided internally of the second baffle, said second ring conduit having apertures formed therein for directing liquid and/or steam or vapour against the second baffle.

Comp. Specn. 14 pages. Drgs. 1 sheet.

CLASS: 31C.

151646

Int. Cl.: H01c 7/00.

VITREOUS ENAMEL ELECTRICAL RESISTOR AND METHOD OF MAKING THE SAME.

Applicants: TRW INC., OF 10880 WILSHIRE BOULE-VARD, LOS ANGELES, CALIFORNIA, UNITED STATES OF AMERICA,

Inventor: ROBERT GENE HOWELL.

Application No. 247/Cal/80 filed March 4, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

#### 18 Claims.

A vitreous enamel electrical resistor comprising a substrate, and a glass film on a surface of the substrate, the glass film having particles of metal oxide selected from the group consisting of an oxide of iridium, an oxide of ruthenium, and mixtures thereof, together with particles of the metal of the oxide particles, embedded within the dispersed throughout the glass film.

Comp. Specn. 15 pages. Drgs. 1 sheet.

CLASS: 88D.

151647

Int. Cl.: B01j 7/00.

IMPROVEMENTS IN OR RELATING TO AN APPARATUS FOR PRODUCING BIOGAS SUBSTANTIALLY COMPRISING ALKANES.

Applicant & Inventor: SUNIT KUMAR MUKHERJEE, OF 18A, NAFAR CHANDRA DAS ROAD, CALCUTTA-700034, INDIA.

Application No. 401/Cal/80 filed April 7, 1980.

Complete Specification left January 28, 1981.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 6 Claims.

An apparatus for producing biogas substantially comprising alkanes, e.g. methane, characterised in that a rectangular vessel provided with partition walls resulting in compartments spaced apart, the said vessel having two openings at the two end surfaces thereof, one for introducing influent and the other for letting out effluent.

Prov. Speen. 3 pages.

Comp. Specu. 5 pages. Drg. 1 sheet.

CLASS: 17A5 & D. & 83A1.

151648

Int. Cl. A231 1/00, A23i 1/20,

A METHOD FOR PREPARING AN ACIDIC LIQUID BEVERAGE OR LIQUID CONCENTRATE THEREOF ADAPTED FOR STORAGE IN A CONTAINER.

Applicants: THE KROGER CO., OF 1014 VINE STREET, CINCINNATI, OHIO 45201 UNITED STATES OF AMERICA.

Inventor: LORNA CAROL STAPLES.

Application No. 436/Cal/80 filed April 15, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

## 12 Claims.

A method for preparing an acidic liquid beverage or liquid concentrate thereof adapted for storage in a container, said method, comprising:

- (a) forming a liquid mixture for a beverage containing a whey protein fortifier composition by mixing together:
  - (1) from 75% to 100% by weight of a whey protein concentrate derived by ultrafiltration of whey, said concentrate having from 40% to 60% protein and an ash content of at least 3%, and
  - (2) from 25% to 0% of different whey protein containing product such as herein described derived from whey in an aqueous solution; and
- (b) acidifying said liquid mixture to a pH within the range of from 3.0 to 4.0 with cold water soluble fumeric acid or optionally acidifying the liquid mixture to at least pH 4.5 with fumeric acid and further reducing the pH to a value of 3 to 4 with phosphoric acid:

wherein the whey protein concentration of the liquid acidic beverage is from 0.5% to 5% by weight.

Comp. Specn. 19 pages. Drgs, Nil.

CLASS:  $32F_3(b)$ ,  $55E_4$  &  $60X_2(a)$ . Int. Cl.: C07c 51/00, 63/08, A61k 27/00. 151649

METHOD FOR THE PREPARATION OF PURE ALKALI METAL BENZOATE AND BENZYL ALCO-

Applicants: STAMICARBON B.V., OF P. O. BOX 10, GELEEN, THE NETHERLANDS.

Inventors: CORNELIS JONGMSA, LEON HUBERTUS BARBARA FRIJNS & PAULA ARNOLDA MARIA RAVEN-DONNERS.

Application No. 619/Cal/80 filed May 27, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Calcutta.

# 27 Claims.

Method for the preparation of pure alkali metal benzoate and benzvl alcohol, characterized in that crude benzvl benzoate is subjected to a reduction in the manner such as herein described at a temperature between 290 and 380 K and is subsequently saponified in the manner such as herein described to alkali metal benzoate and thereafter, if desired, separating in any known manner the alkali metal benzgate and the benzyl alcohol.

Comp. Speca. 12 pages. Drg. Nil,

CLASS: 32  $F_1$ ,  $32F_9(b)$  &  $60X_3(d)$ .

151650

Int, Cl. C07c 103/40 & C07d 27/04.

METHOD OF PREPARING NOVEL SUBSTITUTED HETEROCYCLIC BENZAMIDES.

Applicants: SOCIETE D'ETUDES SCIENTIFIQUES ET INDUSTRIELIES DE L'ILE-DE-FRANCE, OF 46, BOULE-VARD DE LATOUR-MAUBOURG, 75 PARIS 7°, FRANCE.

Inventors: MICHEL THOMINET, JACQUES ACHER AND JEAN-CLAUDE MONIER.

Application No. 453/Cal/82 filed April 22, 1982,

Division of Application No. 46/Cal/79 filed January 17, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972 Patent Office, Calcutta.

#### 56 Claims

A method of preparing novel substituted heterocyclic benzamides, their salts of addition with pharmacologically acceptable acids, their quaternary ammonium salts, their oxides and their levorotatory and dextrorotatory isomers, of the general formula (I)

# wherein:

- R<sub>4</sub> is a cycloalkyl, cycloalkenyl, bicycloalkyl or tricycloalkyl group
- A is a single bond or a saturated or unsaturated hydrocarbon chain with 1 to 3 carbon atoms.
- n is equal to 0, 1, 2 or 3.
- R<sub>5</sub> is a hydrogen atom, an alkyl group with 1 to 3 carbon atoms, or an alkenyl or alkynyl group
- R<sup>1</sup>, R<sub>2</sub>, R<sub>3</sub>, R<sub>4</sub> are hydrogen or halogen atoms, alkyl, alkoxy, amino, acctamino, sulphamoyl, alkylsulphamoyl, dialkylsulphamoyl, alkylsulphonyl or alkylsulphinyl groups or bonded together to form an azimido group,

# with the following provisos:

when R<sub>4</sub> is a cycloalkyl group, R<sub>5</sub> a hydrogen atom or an alkyl group, A a single bond and n equal to 0, at least one of the substituents R<sup>1</sup>, R<sub>2</sub>, R<sub>3</sub>, R<sub>5</sub> is an alkyl-sulphonyl or alkylsulphinyl group, or two of these substituents are bonded together to form an azimido group.
when R<sub>4</sub> is a cycloalkyl group, R<sub>5</sub> a methyl group, A an alkylene group with 1 to 3 carbon atoms, n= to 1 and the amide chain bonded at the 2 position of the pyrrolidine,

 $R_1$  can be halogen atom or a sulphamoyl, alkylsulphamoyl, dialkylsulphamoyl or alkylsulphonyl group only in cases were  $R_1$ ,  $R_3$ ,  $R_4$  are not simultaneously hydrogen atoms, comprising reacting a reactive derive-

tive such as herein described of an acid of the formula (II) shown in the drawings with a primary amine

of formula (III)

wherein n is 0, 1, 2 or 3 and Hal represents a chlorine, bromine or iodine atom, to obtain a compound of formula (IV)

(IV)

wherein  $R_1$ ,  $R_2$ ,  $R_3$ ,  $R_5$ ,  $R_6$ , Hal, n have the above meaning, the compound then reacting with an amine of formula (V)

wherein R, and A are as defined above to form the desired compounds of formula I and thereafter preparing their salts of addition with pharmacologically acceptable acids, their quaternary ammonium salts, their oxides and their levorotatory and dextrorotatory isomers in a known manner such as herein described.

Comp. Specn. 21 Pages.

Drg. 1 sheet.

CLASS: 156-A.

151651

Int. Cl.: F04b 33/00.

"IMPROVED PUMP FOR THE LIFTING OF WATER FROM ONE LEVEL TO A HIGHER LEVEL."

Applicants: COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH, Rafi Marg, New Delhi, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860).

Inventor: RAM KRIPAL VARMA, GOPAL KISHORE VERMA and KURLAGUNDA NAGARAJA RAO.

Application for Patent No. 133/Del/79 filed on 22nd February, 1979.

Complete Specification left on 12th December, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules 1972) The Patent Office, Delhi Branch. 2—117 GI/83

#### (13 Claims)

An improved pump for the lifting of water from one level to a higher level which comprises a central chamber one pair of opposite sidewalls of which are composed of flexible diapharagms, said chamber being adapted to be divided by means of a vertical partition member into two separate compartments each containing one of said diapharams, water inlet means at or near the lower end of said central chamber, unidirectional valve means provided with said water inlet means and adapted to communicate with at least one of said compartments, water outlet means provided at or near the upper end of said central chamber, unidirectional valve means provided with said water outlet means and adapted to permit communication from at least the other of said compartments with said water outlet means, undirectional valve means located within said partition member to permit communication from said first compartment to said second compartment, means connected externally to the said diaphragms for simultaneously depressing one diaphragm and distending the other so as to compress the volume of one compartment and increase that of the other, said diaphragm connecting means being connected to actuation platforms adapted to operate the pump.

(Provisional Specification 6 Pages. Drawings 1 sheet)
(Complete Specification 10 Pages. Drawings 1 sheet)

CLASS: 69-I, 102-D & 195-B.
Int. Cl.: F, 16k 11/00.

"A RAILWAY POINTS OPERATING DEVICE."

Applicant & Inventor: JAGDISH VASWANI, an Indian national of 43A, Railway Colony, Sadar Patel Marg, New Delhi, India,

Application for Patent No. 209/De1/79 filed on 30th March, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) The Patent Office, Delhi Branch.

## (4 Claims)

A railway points operating device which is operable by fluid under pressure comprising a lock bar cylinder having a lock bar capable of having directional movement, a throw bar cylinder having a throw bar also capable of having directional movement, characterised in that direction control valves are provided connected to the said lock bar and the throw bar cylinders for controlling the said directional movements of said throw and lock bars, an accumulator provided connected with the said valves for receiving a fluid under pressure, a fluid reservoir provided for storing and supplying said fluid to the said accumulator and receiving back said fluid from the said valves.

(Complete Specification 8 Pages. Dr

Drawings 2 Sheets)

CLASS: 146C.

151653

151652

Int. Cl.: G01j 1/46.

"A PHOTOMETRIC ANALYSIS DEVICE."

Applicants: HARTMANN AND BRAUN AKTIEN-GESELLSCHAFT, of Grafstrasse 97, 6000 Frankfurt/Main, Federal Republic of Germany, a German body corporate.

Inventors: JOACHIM STAAB, WILLY APEL AND HEIN WOLF.

Application No. 231/Del/79 filed on 07th April, 1979.

Convention date 03rd November, 1978 (43172/78) U.K.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

# (5 Claims)

A photometric analysis device having a radiator unit and a radiation receiver unit between which is positioned one or more radiation modulating sample or reference blocks and a ted to be interchangeable with other similarly constructive.

blocks, wherin the two units are held in aligned spaced relation by two parallel rods extending through parallel bores in both of the units, the or each block is detachable and has notches for engaging both rods thereby to positively locate the block in aligned relation between the two units, and locking means are provided for retaining the two units and at least one block in abutting relationship.

(Complete Specification 9 Pages.

Drawing [ Sheet)

CLASS: 32C, 55F.

151654

Int. Cl.: C12d 13/00.

"IMPROVED PROCESS FOR THE PRODUCTION OF PURE NEURAMINIDASE."

Applicants: COUNCIL OF SCIENTIFIC AND INDUS-TRIAL RESFARCH, Rafi Marg, New Delbi-110001, India, en Indian registered body incorporated under the Registra-tion Societies Act (Act (XXI of 1860).

Inventors: DEVARAJAN THAMBIDORAI, PRANAB KUMAR CHANDA, MOTJILAL MAITI and BIMAL KUMAR BACHIIAWAT.

Application for Patent No. 317/Del/79 filed on 9th May,

Complete Specification left on 18th February, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) The Patent Office, Delhi Branch.

## (2 Claims)

An improved process for the production of pure neura-minidase comprising cultivation of the microorganism known as Vibrio cholerae in a nutrient media, separation, of the enzyme formed and the purification of the same by affinity chromatography, characterized in that the cultivation is carried out in the presence of the inducer submaxillary mucin and the purification by affinity chromatography is carried out using a non-charged matrix of mucin and cellulose.

(Provisional Specification 13 Pages.

(Complete Specification 4 Pages.

Drawings 1 Sheet)

CLASS: 84A.

151655

Int. Cl.: C10j 3/00.

"PRODUCTION OF GAS MIXTURES CONTAINING HYDROGEN AND CARBON MONOXIDE VIA THE ENDOTHERMIC PARTIAL OXIDATION OF ORGANIC COMPOUNDS AND APPARATUS THEREFOR."

RUHRCHEMÏE AKTIENGESELLAS-CHAFT, of Bruchstrasse 219, Oberhausen 13, Federal Republic of Germany, a company incorporated under the laws of the Federal Republic of Germany.

Inventors: FRIEDRICH SCHNUR, BOY CORNILS and JOSFF HIBBEL.

Application for Patent No. 332/Del/79 filed on 15 May, 1979.

Appropriate office for opposition proceedings (Rule 4, Patent Rules, 1972) The Patent Office, Delhi Brunch.

# (9 Claims)

A process for producing a gas mixture containing hydro-gen and carbon monoxide, comprising: endothermic partial oxidation of one or more organic compounds such as herein defined with steam and/or carbon dioxide at a temperature of 900 to 1600°C and a pressure of up to 200 bar; and gasifying one or more carbonaceous ash forming fuels such as herein defined with oxygen in the presence of steam whereby a gaseous product and liquid ash is produced and to provide thermal energy for said endothermic partial oxi-

dation; said carbon monoxide and hydrogen being produced at a temperature above the melting point of said ash, said gasification being carried out in a gasification zone, the endothermic partial oxidation being carried out in a mixing and separating zone, the products of gasification being fed from the garification zone into the mixing and separating

(Complete Specification 13 Pages,

Drawings 1 Sheet)

CLASS:  $32F_3(...)$ .

151656

Int. Cl.: C07c 39/00.

"AN IMPROVED PROCESS FOR THE PREPARATION OF ANISOLE, O-CRESOL AND2, 6-XYLENOL'

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI-110001, INDIA, AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION OF SOCIETIES ACT (ACT III OF 1860).

Inventors: MOHAMMED EHSAN, GURAJADA SARABHA SLAVAPATI, MULPURI JANARDANARAO AND RAJAGOPALAN VAIDYESWARAN.

Application No. 340/Del/79 filed on 17th May, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

## (5 Claims)

An improved process for the preparation of anisole, Ocresol and 2, 6-xylenol comprising reacting phenol and methanol in the presence of metal oxide catalyst like alumina, magnesia or calcium oxide wherein the improvement comprises in that phenol and methanol are used in ratios of 1:1 to 1:8 at a temperature range of 200° to 300°C with alumina, which is capable of being regenerated by heating upto 550°C as catalyst, at a pressure in the range of 50-100 bars in the presence of an inert gas.

(Complete specification 8 pages).

CLASS: 32F-2C.

151657

Int. Cl.: C07C 111/00.

"IMPROVED PROCESS FOR THE PRODUCTION OF DINITROSOPENTAMETHYL ENETERAMINE".

Applicant: COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH, RAFI MARG, NEW DELHI, INDIA, AN INDIAN REGISTERED BODY INCORPORATED UNDER THE REGISTRATION OF SOCIETIES ACT (ACT XXI of 1860),

Inventors: VISHWA NATH GUPTA, JOGENDRA ATH BARUAH, KOTAWIL WALLAPIL GOPI-NATH, & MADHUR SRINIVAS IYENGAR,

Application No. 341/Del/79 filed on 17th May, 1979.

Complete specification left on 5th August, 1980.

Appropriate office for opposition proceedings (Rule 4, Patent Rules, 1972) Patent Office, Delhi Branch.

# (5 Claims)

An improved process for the manufacture of dinitrosopentamethylenetetramine comprising reacting liquor ammonia with formaldehydo and nitrous acid characterised in that the reaction is carried out by addition of aqueous formaldehyde solution to an aqueous solution of sodium nitrite, ammonium sulphate and liquor ammonia.

(Provisional specification 4 pages.).

(Complete specification 5 pages).

CLASS: 126-B. & 131.C.

151658

Int. Cl.: Go1y-1/22.

"A DEVICE FOR DELINEATION OF SUBSURFACE STRUCTURES BASED ON SEISMIC TECHNIQUE".

Applicant: Council of Scientific and Industrial Research, Rafi Marg, New Delhi-110001, India an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860).

Inventors : Krishan Lal Kaila & Velamakanni Gopala Krishna.

Application for patent No. 342/Del/79 filed on 17th May, 1979.

Complete Specification left on 10th July, 1980.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

## (3 Claims

An improved device for delincation of the depth and/or profile of subsurface structures by seismic technique comprises:

- (i) means for digital seismic recording of reflected vibrations in the form of electrical oscillations received from a plurality of two shot points on the earths surface to obtain data of the reversed reflection travel time of the said oscillations from the subsurface structure as a function of the angle of dip (θ) and its effective velocity Veff,
- (ii) means connected to said recording means to select the recorded reflection data in respect of the angle of dip to obtain identical value of the effective velocity Veff as per equations,

$$T^{2}_{D} = \frac{X^{2}_{D} + 4 X_{D} d_{1} \sin \theta + 4 d_{1}^{2}}{V^{2}_{eff}}$$

and 
$$T_{R}^{2} = \frac{X_{R}^{2} - 4 X_{R} d_{2} \sin \theta + 4 d_{2}^{2}}{V_{eff}^{2}}$$

Wherein XD, TD and (XR, TR) are the direct and reversed reflection travel time data,  $d^{\dagger}$  and  $d_{\sigma}$  are perpendicular distances from the shot points to the subsurface structure,

- (iii) display means connected to said selection means for visual display of said selected recorded reflection data,
- (iv) means connected to said selector means to process the data thus selected both in respect of the functions of the angle of dip and the effective velocity of the said oscillations from the subsurface structures to match with the similar data of known subsurface structures and
- (v) means to identify and delineate the depth/profile of the subsurface structure under investigations, said identification and delineation means being connected to said data processing means.

(Provisional Specification 7 pages.

Drawing 2 Sheets)

(Complete specification 16 pages

Drawing 1 sheet)

CLASS: 85.C & 195.D.

Int. Cl.: F16k-3/00.

Int. Cl.: C09d. 5/00.

151661

151659 Int

"VALVE DEVICE FOR THE SUPPLY OF CHARGE MATERIAL TO  $\Lambda$  COVERED ELECTRIC SMELTING FURNACE".

Applicant: ELKEM-SPIGERVERKET A/S, a Company incorporated under the laws of Norway, of Elkemhuset, Middel thungsgate 27, Oslø 3, Norway.

Inventor: Harald Krogsrud.

Application for patent No. 343/Del/79 filed on 17th May, 1979.

Appropriate office for opposition proceedings (Rule 4, Patents Rules, 1972) Patent Office, Delhi Branch.

#### (4 Claims)

A valve device for use with a covered electric smelting furnace provided with a charging chute, for the supply of furnace charge from the charging chute in a gastight manner into the furnace through an opening in the roof of the furnace, which valve device comprises a rotatable hollow cylindrical drum arranged within a valve housing the lower part of which housing comprises a horzontally-extending half-cylinder, the drum resting with its own weight against the surface of the half-cylinder and the inner diameter of the half-cylinder corresponding to the outer diameter of the drum, and the drum being formed with an opening in its cylindrical wall which opening, as the drum is rotated in use, is brought into register firstly with a cooperating opening in the charging chute to allow charge from the chute to enter the drum, and secondly with the said opening in the furnace, the openings in the chute and in the furnace roof being respectively closed by the wall of the drum when in use the opening in the drum is out of register therewith.

(Complete specification 7 pages,

Drawing 2 sheets).

CLASS: 32F2(d), 40F.

15166

Int. Cl.: C07c-143/00.

"PROCESS FOR THE RECOVERY OF D(+) CAMPHORSULPHONIC ACID DURING THE RESOLUTION OF DL-PHENYLGLYCINE."

Applicant: COUNCIL OF SCIENTIFIC & INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-110001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860).

Inventor: RAJAT BARAN MITRA, BALWANT NARAYAN JOSHI, VASANT KASHINATH HINGE & MANDAKINI VISHVANATH NATEKAR.

Application for Patent No. 347/Del 79 filed on 18-5-79. Complete specification left on 12th December, 1979.

Appropriate office for opposition proceedings (Rule 4, Patent Rules, 1972) Patent Office, Delhi Branch.

## (3 Claims)

A process for the recovery of D(+) comphorsulphonic acid comprising eluting with water, ammonium camphorsulphonate, obtained during the resolution of DL-phenyglycine, by passage through a column of a cation exchange resin; to obtain the eluent containing D(+) comphorsulphonic acid in two strongly acidic and weakly acidic portions and recovering the acid therefrom.

(Provisional specification 5 pages)

(Complete specification 6 pages).

CLASS:  $144E_2$ 

Applicant: COUNCIL OF SCIENTIFIC AND INDUSTRIAL RESEARCH, Rafi Marg, New Delhi-110001, India, an Indian registered body incorporated under the Registration of Societies Act (Act XXI of 1860).

Applicants:—123456 12345 12345 12345 12345 12345-Inventors: KUMMATTITHIDAL SANTHANAM RAJAGOPALAN, SUBBIAN NADAR GURUVIAH AND MEYYAPPAN SUNDARAM.

Application for Patent No. 348/Del/79 filed on 18th May, 1979.

Complete specification left on 19th April, 1980.

Appropriate office for opposition proceedings (Rule 4, Patent Rules, 1972) Patent Office, Delhi Branch.

#### (4 Claims)

Process for the preparation of an anti-corrosion primer comprising reacting zinc dust in ethyl silicate binder with titanium dioxide, antimony trioxide, dibutyl phthalate and an organic solvents such as xylene and stirring the reaction product to obtain a brushable consistency.

(Provisional specification 4 pages).

(Complete specification 5 pages).

CLASS: 40F.

151662

Int. Cl.: B01J 7/00.

"A GLASS DESORBER FOR GEOCHEMICAL PROS-PECTING AND PETROLEUM SOURCE ROCK ANALY-SIS"

Applicants: OIL & NATURAL GAS COMMISSION, Institute of Petroleum Exploration, Chemistry Group, KAULAGARH ROAD, Dehradun, (U.P.), India, an Indian company.

Inventors: Manju Mathur, Mahesh Chand Gupta, Kuldeep Chandra & Sailendra Nath Bhattacharya.

Application No. 178/Del/80 filed on 12th March, 1980.

Appropriate office for opposition proceedings (Rule 4, Patent Rules, 1972) Patent Office, Delhi Branch.

## (11 Claims)

A desorber for geochemical prospecting and petroleum source rock analysis comprises of a standard female B-12 decomposition round bottom flask and a bulb having two arms, one of said arm being a vertical gas masuring arm and the other a horizontal arm, said horizontal arm being connected to said decomposition round bottom flask by means of spring joints and is also fitted with a pear shaped funnel through a vacuum stop, cock, the top end of said pear shaped funnel being connected to a vacuum pump.

(Complete specification 8 pages

Drawing 1 sheet)

# OPPOSITION PROCEEDINGS

(1)

The opposition entered by the Jay Engineering Works Limited to the grant of a patent on application No. 135307 made by Crompton Greaves Limited as notified in Part-III, Section 2 of the Gazette of India, dated the 12th April, 1975 has been allowed and the grant of a patent on application refused.

(2)

The opposition entered by the Jay Engineering Works Limited to the grant of a patent on application No. 135308 made by Crompton Greaves Limited as notified in Part-III, Section 2 of the Gazette of India, dated the 12th April, 1975 has been allowed and the grant of a patent on application refused.

(3)

The opposition entered by the Jay Engineering Works Limited to the grant of a patent on application No. 135309 made by Crompton Greaves Limited as notified in Part-III, Section 2 of the Gazette of India, dated the 12th April, 1975 has been allowed and the grant of a patent on application refused.

(4)

The opposition entered by the Jay Engineering Works-Limited to the grant of a patent on application No. 135310 made by Crompton Greaves Limited as notified in Part-III, Section 2 of the Gazette of India, dated the 12th April. 1975 has been allowed and the grant of a patent on application refused.

(5)

The opposition entered by the 1DL Chemicals Limited to the grant of a patent on application No. 150613 made by Indian Explosives Limited as notified in Part-III, Section 2 of the Gazette of India, dated the 21st May, 1983 has been dismissed due to non-filling of the written statement and 3 patent ordered to be sealed.

#### PATENTS SEALED

149535 149847 150007 150030 150136 150137 150138 150139 150141 150206 150376 150506 150521 150527 150528 150531 150532 150534 150537

# AMENDMENT PROCEEDINGS UNDER SECTION 57

Notice is hereby given that International Minerals & Chemical Corporation, a corporation organised under the laws of the State of New York, of 2315 Sanders Road, Northbrook Illinois, U.S.A. have made an application under section 57 of the Patents Act, 1970 for amendment of specification of their application for patent No. 151030 for "Method of Beneficiating Phosphate Orea". The amendments are by way to define the invention more clearly. The application for amendment and the proposed amendments can be inspected free of charge at the Patent office, 214, Acharya Jagadish Bose Road, Calcutta-17, on any working day during the usual office hours or copies of the same can be had on payment of the usual copying charges. Any person interested in opposing the application for amendment may file a notice of opposition on the prescribed form 30 within three months from the date of this notification at the Patent Office, Calcutta. If the written statement of opposition is not filed with the notice of opposition, it shall be left within one month from the date of filing the said notice.

# RENEWAL FEES PAID

 147032
 147092
 147164
 147212
 147238
 147307
 147379
 147449

 147466
 147489
 147499
 147510
 147562
 147603
 147608
 147645

 147657
 147682
 147683
 147694
 147695
 147735
 147778
 147817

 147825
 147877
 147882
 147937
 147941
 147994
 148072
 148180

 148233
 148258
 148303
 148317
 148379
 148421
 148443
 148444

 148454
 148581
 148628
 148632
 148639
 148677
 148679
 148707

 148763
 148826
 149063
 149079
 149113
 149162
 149195
 149230

 149242
 149259
 149310
 149370
 149375
 149381
 149398
 149476

 149482
 149548
 149556
 149571
 149583
 149611
 149624
 149631

 149769
 149772
 149793
 149798
 150016
 150012
 150014
 150041

 150059
 150078
 150101
 <td

## REVOCATION OF PATENTS

Patent No. 136049 has been revoked by the order dated the 15th October, 1982 of Hon'ble Mr. Justice Parekh of Bombay High Court in misc. Petition No. 576 of 1981.

# REGISTRATION OF DESIGNS

The following designs have been registered. They are not open to inspection for a period of two years from the date of registration except as provided for in Section 50 of the Design Act, 1911.

The date shown in the each entry is the date of registration of the design included in the entry.

- Class. 1. No. 152712. Vinsan Private Limited, an Indian Private Limited Company of 28, Sham Nath Marg, Delhi-110055. "Peeler". 25th January, 1983.
- Class. 1. No. 152668. Bhandari Balweerchand Pratapchand Memorial Research Foundation (Registered under Societies Registration Act, 1860) of Blitz Building, 1st floor, 17, Cawasji Patel Street, Fort, Bombay-400001, Maharashtra, India. "Tractorcum-Transporter". 13th January, 1983.
- Class. 1. No. 152688. Arun Kumar Trading as Arun Associates, B-3/13, Model Town, Delhi-110009 an Indian National, "Petrol Filter". 18th January, 1983.
- Class. 1. No. 152763. Shree Agencies, 4E/13, Jhandewalan Extention, New Delhi-110055. (India) An Indian Partnership Firm, "Car Wheel Cover". 11 February, 1983.
- Class. 1. No. 152876. Speed & Power Instruments, 5644, Qutab Road, New Delhi-110055 an Indian Partner ship Concern. "Baby Dinning Chair." 9th March, 1983.
- Class. 1. No. 152878. Speed & Power Instruments, 5644, Qutab Road, New Delhi-110055 an Indian Partner ship Concern. "Baby Dinning Chair." 10th March, 1983.
- Class. 1. No. 152761. Shree Agencies, 4E/13, Jhandewalan Extension, New Delhi-110055 (India) An Indian Partnership Firm. "Dash Board". 11th February, 1983,
- Class. 1. No. 152875. Speed & Power Instruments, 5644, Qutab Road, New Delhi-110055 an Indian Partnership Concern. "Baby Dinning Chair." 10th March, 1983.

- Class. 1. No. 152781. Union Carbide India Limited, an Indian Company of 1, Middleton Street, Calcutta-700 071, West Bengal, India. "Flashlight". 19th February, 1983.
- Class. 1. No. 152469. Tobu Enterprises Private Limited 8/29. Kirti Nagar Industrial Area, New Delhi-110015, India. An Indian Company. "Tricycle". 12th November, 1982.
- Class. 1. No. 152333. Kirloskar Brothers Limiteú, an Indian Company duly registered and incorporated under Companies 'Act, 1956 and having its Regá, Office At: Udyog Bhavan, Tilak Road, Pune-411 002, Maharashtra, India. "Foot Valve". 1st October, 1982.
- Class. 1. No. 152466. A. V. Sankaran, Trading as Marutld Metal Works, a Proprietor firm, 11, Kanna Bagh Street, Triplicane, Madras-600 005, Tamil Nadu, of S. India, of Indian Nationality. "Silencer for Auto-vehicles". 11th November, 1982.
- Ckiss. 3. No. 152565. New National Radios, A-14/3, Naraina Industrial Aren, Phase-I, New Delhi-110064. India. an Indian Partnership Firm. "Wall Clock". 10th December, 1982.
- Class. 3. No. 152678. Cherry Cosmetics Private Limited, an Indian Company incorporated under the Companies Act 1956, of 404 Green House, Green Street, Bombay-400 023, Maharashtra, India. "Plastic Container". 15th January, 1983.
- Class. 3. No. 152656, Peter Autokits Private Limited, an Indian Company incorporated under the Companies Act 1956, of Mathuradas Vasanji Road, Makwana Lane, Marol Naka, Andheri (East), Bombay-400 059, Maharashtra, India. "Cloth Hanger-cum-Holder". 10th January, 1983.
- Class. 3. No. 152711. Vinsan Private Limited, an Indian Private Limited Company of 28, Shom Nath Marg, Delhi-110055. "Peeler." 25th January, 1983.
- Class. 3. No. 152784. Union Carbide dia Limited, an Indian Company of 1, Middleton Street, Calcutta-700 071, West Bengal, India. "Piashlight", 19th February, 1983.
- Class. 3. No. 152800. Shree Cosmetics of 103, Sanjay Building, No. 3 Mittal Industrial Estate, Andheri Kurla Road, Bombay-400 059, Maharashtra, India an Indian Partnership Concern. "Container". 23rd February, 1983.
- Class. 3. No. 152449. Meena Match Industries. Boopathy Building, Virushunagar Road, Sivakasi-62612, Tamil Nadu, India. An Indian Partnership Firm. "Match Box". 9th November, 1982.
- Class. 3. No. 152562. Mrs. Rekha M. Ihadani and Mrs. Thakuri B. Thadani, both adian Nationals, carrying on business in partnership under the firm name of Caspack Incorporated, registered office at 204, New Satguru Nanik Industrial Estate, 498, Western Express Highway, Goregaon (East), Bombay-400063, State of Maharashtra, India. "a Cabinet for storing cassettes". 9th December, 1982.
- Class, 3. No. 152464. Geep Industrial Syndicate Limited (formerly known as Geep Flashlight Industries Limited), Manufacturers, of 28 South Road, Allahabad Uttar Pradesh India, an Indian Company. "Torch". 10th November, 1982.
- Class. 3. No. 152835. Rama Industrics, a Partnership firm of 9/1, Debendra Mullick Street, Calcutta-73, within the State of West Bengal, "Plastic Container". 7th March, 1983.

Class. 3. No. 152563. Mrs. Rekha M. Thadaui and Mrs.

Thakuri B. Thadani, both Indian Nationals, carrying on business in partnership under the firm name of Caspack Incorporated registered office at 204, New Satguru Nanik Industrial Estate, 498, Western Express Highway, Goregaon (East),

Bombay-400063, State of Maharashtra, India. A cabinet for storing cassettes". 9th December, 1982.

DR. K. V. SWAMINATHAN Controller General of Patents, Designs and Trade Marks.